



# STEEL

**Openings in Steel.** Express your style in steel. Amarr makes it happen.

Exceptional performance, low maintenance and durability, available in Amarr's eight steel collections. From classic carriage house designs to contemporary flush panels, get a striking look that stands the test of time.

- 2 CLASSICA® COLLECTION
- 4 OPTIONS
- 6 OAK SUMMIT® COLLECTION
- 8 HILLCREST COLLECTION
- 10 DESIGNER'S CHOICE COLLECTION
- 12 HERITAGE™ COLLECTION
- 14 STRATFORD® COLLECTION
- 16 LINCOLN COLLECTION
- 18 OLYMPUS COLLECTION
- 20 OPTIONS
- 21 STEEL SPECIFICATIONS

## Openings in Steel. The Construction.

Amarr steel doors are built with low-maintenance, heavy-duty steel. Choose from 1000 single, 2000 double or 3000 triple-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

### 1000

#### Single-Layer: Steel

Classica, Oak Summit, Heritage & Stratford

Get value and durability with an Amarr 1000 single-layer steel door. These heavy-duty steel doors are durable, reliable, and low maintenance.

- Heavy-Duty Exterior Steel
- Durable, Reliable, Low Maintenance



### 2000

#### Double-Layer: Steel + Insulation

Classica, Oak Summit, Heritage & Stratford

An Amarr 2000 double-layer door provides durable, low-maintenance features, plus a layer of vinyl-coated insulation for increased thermal properties and quieter operation.

- Heavy-Duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation

R-VALUE  
6.64



### 3000


#### Triple-Layer: Steel + Insulation + Steel

Classica, Oak Summit, Heritage & Stratford  
Hillcrest, Lincoln, Designer's Choice & Olympus


For the toughest, most energy-efficient steel door, an Amarr 3000 triple-layer door includes the ultimate in thermal properties, plus a layer of steel for a finished interior look and added durability.

- Heavy-Duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation

R-VALUE  
19.40  
DESIGNER'S CHOICE\*  
OLYMPUS†



R-VALUE  
13.35  
CLASSICA  
DESIGNER'S CHOICE\*\*  
OLYMPUS‡



R-VALUE  
9.05  
HILLCREST  
LINCOLN



R-VALUE  
9.05  
HERITAGE

R-VALUE  
6.48  
OAK SUMMIT  
STRATFORD



\* For True White Bead Board only.

\*\* For all other panels and colors.

† For True White Short Panel only.

‡ For all other panels and colors.



## CLASSICA® COLLECTION



Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel.

The Classica Collection of Carriage House Doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.



## Designs

Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 21 for complete specifications.

**1000**

Single-Layer: Steel

**2000**

Double-Layer: Steel + Insulation

**3000**

Triple-Layer: Steel + Insulation + Steel

R-VALUE  
**13.35\***

\* For Classica 3000 only.

## Decorative Options


Optional decorative hardware, reminiscent of authentic hardware found on original carriage houses, adds character to your door.

See pp. 4–5 for all window and hardware options.

Lucern with Thames Windows (L10)



Santiago with Seine Windows (S8)



Cortona with Americana Windows (C57)



Tuscany with Closed Arch (T1)



Bordeaux with Closed Square (B2)



## DESIGNS


Lucern




Tuscany



Santiago




Valencia




Northampton



Bordeaux



Cortona\*



\*Long Panel Arched Top not available.

## OPTIONS

Visit [amarr.com](http://amarr.com) and access Amarr's Door Designer to view specific designs in various architectural styles.

### CLASSICA® COLLECTION TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1),  
SANTIAGO (S1), LUCERN (L1), VALENCIA (V1), CORTONA (C1)



CLOSED SQUARE • Available for TUSCANY (T2),  
SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D), CORTONA (C1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • BORDEAUX (B2)



CLOSED SQUARE • CORTONA (C2)



AMERICANA (57)†



JARDIN (75)†



TRELLIS (76)†



Design visibility varies due to lighting.

†Tempered obscure glass with baked-on ceramic design.

OBSCURE (0)



DANUBE (4)‡



MADEIRA (5)‡



NILE (6)‡



RHINE (7)‡



SEINE (8)‡



THAMES (10)‡



‡ Designs also available with obscure glass.

## COLORS

Actual paint colors may vary from samples shown.  
Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



ALMOND



WICKER TAN



SANDTONE



TERRATONE



DARK BROWN



GOLDEN OAK\*



WALNUT\*



MAHOGANY\*

\* Price upcharge applies. Odd heights not available.

## TWO-TONE PAINT OPTIONS\*\*

\*\* Price upcharge applies.

|              | BASE DOOR  |        |            |          |           |            |
|--------------|------------|--------|------------|----------|-----------|------------|
| PANEL        | TRUE WHITE | ALMOND | WICKER TAN | SANDTONE | TERRATONE | DARK BROWN |
| TRUE WHITE   |            |        |            |          |           |            |
| ALMOND       |            |        |            |          |           |            |
| WICKER TAN   |            |        |            |          |           |            |
| SANDTONE     |            |        |            |          |           |            |
| TERRATONE    |            |        |            |          |           |            |
| DARK BROWN   |            |        |            |          |           |            |
| HUNTER GREEN |            |        |            |          |           |            |
| GRAY         |            |        |            |          |           |            |

## DECORATIVE HARDWARE &amp; LOCK

## ALUMINUM

Available for Classica, Oak Summit, Hillcrest, and Designer's Choice Collections

9" HANDLES



18" STRAP HINGES WITH CLAVOS†



11" L-HINGE WITH CLAVOS†



## VERSAILLES

† Hinges with Clavos not recommended for arched openings

10½" HANDLES



17" STRAP HINGES WITH CLAVOS†



3½" RING HANDLES



## CANTERBURY

† Hinges with Clavos not recommended for arched openings

## ABS VINYL

Available for Classica, Oak Summit, Hillcrest, and Designer's Choice Collections

12" HANDLES



16" STRAP HINGES



## CASTLE ROCK

## STAMPED STEEL

Available for Classica, Oak Summit, Hillcrest, and Designer's Choice Collections

11" HANDLES



16" STRAP HINGES



11" HANDLES



## BLUE RIDGE

## AMARR LOCK

## ALPINE

Available for Oak Summit, Hillcrest, Lincoln, Olympus, Heritage, and Stratford Collections



## OAK SUMMIT® COLLECTION



Self-Expression shouldn't cost a fortune. With Amarr's Oak Summit Collection it won't.

These durable steel doors offer an attractive carriage house look. Choose from a variety of door colors, decorative hardware, and window accents. Customize your home with Amarr's most affordable carriage house door.



## Designs

The Oak Summit Collection is available in four carriage house designs with your choice of eleven colors.

See page 21 for complete specifications.

# 1000

Single-Layer: Steel

# 2000

Double-Layer: Steel + Insulation

# 3000


Triple-Layer: Steel + Insulation + Steel

## Decorative Options

Give your door a unique carriage house look with a variety of decorative hardware options.

See page 5 for all decorative hardware options, page 20 for window options.

Raised Panel with Jardin DecraGlass (RS75)



Raised Panel with Stockton DecraTrim (RS20)



Long Panel Bead Board with Sunray DecraTrim (LPBB27)



Bead Board Panel with Prairie DecraTrim (BB21)




Recessed Panel with Arched Thames DecraTrim (RE31)†




## DESIGNS


Bead Board




LP Bead Board



Recessed



Raised



## COLORS

Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



ALMOND



WICKER TAN



SANDTONE



TERRATONE



DARK BROWN



HUNTER GREEN†



GRAY†



GOLDEN OAK+\*



WALNUT+\*



MAHOGANY+\*

† Color only available in Oak Summit 3000.

\* Price upcharge applies.

Raised Panel with Arched Thames DecraTrim in Wicker Tan



## HILLCREST COLLECTION

Beauty that's more than skin deep. With the Hillcrest Collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles.

You get the efficiency and durability of 2-inch thick, triple-layer construction and a competitive price.

The Hillcrest Collection from Amarr. Value is a beautiful thing.

Bead Board Panel with Wagon Wheel DecraTrim in True White



## Designs

The Hillcrest Collection is available in four carriage house designs with your choice of four color options.

See page 21 for complete specifications.

# 3000

Triple-Layer: Steel + Insulation + Steel

R-VALUE  
9.05

## Decorative Options

Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 20 for all window options.

For decorative hardware, see page 5.

LP Bead Board Panel with Closed Square (LPBB)



Raised Panel with Waterford DecraTrim (RS25)



Recessed Panel with Stockton DecraTrim (RE20)



Bead Board Panel with Cascade DecraTrim (BB23)




Recessed Panel with Mission DecraGlass (RE71)




## DESIGNS


Bead Board




LP Bead Board



Recessed



Raised



## COLORS

Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



WICKER TAN



SANDTONE



DARK BROWN



## DESIGNER'S CHOICE COLLECTION

Design and energy efficiency make Designer's Choice doors popular models.

With triple-layer construction and superior insulation R-value of 19.40\*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



## Designs

The Designer's Choice model is available in four carriage house designs and five color options.

See page 21 for complete specifications.

# 3000

Triple-Layer: Steel + Insulation + Steel

R-VALUE  
19.40\*

\* For True White Bead Board only.  
13.35 for all other panels and colors.

## Decorative Options

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home.

See page 20 for all window options.

For decorative hardware, see page 5.

Bead Board Panel with Cascade DecraTrim (BB23)



Long Panel Bead Board with Stockton DecraTrim (LPBB20)



Raised Panel Closed (RS)



Bead Board Panel with Victorian DecraGlass (BB54)




Recessed Panel with Moonlite DecraTrim (RE24)




## DESIGNS


Bead Board




LP Bead Board



Recessed



Raised



## COLORS

Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



ALMOND



WICKER TAN



SANDTONE



DARK BROWN



BLACK\*

\* Price upcharge applies.



## HERITAGE™ COLLECTION



Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Heritage Collection features a heavy gauge steel and durable low-maintenance doors in your choice of traditional styles.

Great looks for years to come.

Short Panel with Prairie DecraTrim in True White



† Color only available in Heritage 3000. Price upcharge applies.

## Designs

The Heritage Collection is available in a variety of panel designs and colors. See page 21 for complete specifications.

# 1000

Single-Layer: Steel

# 2000

Double-Layer: Steel + Insulation

# 3000

Triple-Layer: Steel + Insulation + Steel

## Decorative Options

Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 20 for all window options, page 5 for decorative lock option.

Flush Panel (FP)



Long Panel with Moonlite DecraTrim (LP24)



Short Panel with Americana DecraGlass (SP57) †



Ribbed Panel (RP) ‡




Short Panel with Stockton DecraTrim (SP20)




## DESIGNS

Short Panel



Long Panel



Flush Panel



Ribbed Panel ‡



‡ Available on Heritage 3000 only.

## COLORS

Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



ALMOND



SANDTONE



DARK BROWN



GOLDEN OAK †



WALNUT †



MAHOGANY †

† Color only available in Heritage 3000. Price upcharge applies.



## STRATFORD® COLLECTION



Time-honored style. The Stratford Collection offers four traditional designs, 11 color choices, and 21 decorative window options. This durable and low-maintenance collection provides section interfaces designed to reduce the risk of serious finger and hand injuries.

The Stratford Collection. A statement of style.



## Designs

The Stratford Collection is available in a variety of panel designs and 11 colors. See page 21 for complete specifications.

**1000**

Single-Layer: Steel

**2000**

Double-Layer: Steel + Insulation

**3000**

Triple-Layer: Steel + Insulation + Steel

## Decorative Options

Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 20 for all window options, page 5 for decorative lock option.

Short Panel with Sunray DecraTrim (SP27)



Ribbed Panel (RP)†



Long Panel with Heartland DecraGlass (SP70)†



Long Panel with Stockton DecraTrim (LP20)




Flush Panel (FP)




## DESIGNS

Short Panel



Long Panel



Flush Panel



Ribbed Panel ‡



‡ Available on Stratford 3000 only.

## COLORS

Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



ALMOND



WICKER TAN



SANDTONE



TERRATONE



DARK BROWN



HUNTER GREEN†



GRAY†



GOLDEN OAK\*\*



WALNUT\*\*



MAHOGANY\*\*

† Color only available in Stratford 3000.

\*\* Price upcharge applies.



## L I N C O L N   C O L L E C T I O N

Traditional style. Exceptional value. The Lincoln Collection combines unique, yet timeless traditional designs and color options with the efficiency and durability of 2-inch thick, triple-layer construction. Along with 24 decorative window choices, this affordable collection delivers premium style at a competitive price.

The Lincoln Collection. A new tradition of style and value.



## Designs

The Lincoln is a traditional door offered in Short, Long, Flush, or Ribbed Panels. Four colors are available. See page 21 for complete specifications.

**3000**

Triple-Layer: Steel + Insulation + Steel

R-VALUE  
**9.05**

## Decorative Options

Choose from DecraTrim window inserts or DecraGlass windows to coordinate with your home's design. See page 20 for all window options.

Short Panel with Chalet DecraGlass (SP56)



Flush Panel (FP)



Long Panel with Cascade DecraTrim (LP23)



Ribbed Panel (RP)




Short Panel with Prairie DecraTrim (SP21)




## DESIGNS

Short Panel



Long Panel



Flush Panel



Ribbed Panel



## COLORS

Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



WICKER TAN



SANDTONE



DARK BROWN

Short Panel with Stockton DecraTrim in True White



## OLYMPUS COLLECTION

When it comes to ultimate protection, the Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40\*, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel with Waterford DecraTrim in Almond



## Designs

The Olympus model is available in Short Panel and Long Panel designs and five color options. See page 21 for complete specifications.

# 3000

Triple-Layer: Steel + Insulation + Steel

R-VALUE  
19.40\*

\* For True White Short Panel only.  
13.35 for all other panels and colors.

## Decorative Options

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home. See page 20 for all window options.

Short Panel with Prairie DecraTrim (SP21)



Long Panel with Moonlite DecraTrim (LP24)



Short Panel with Sunray DecraTrim (SP27)



Short Panel with Riviera DecraGlass (SP55)




Long Panel with Thames DecraTrim (LP30)




## DESIGNS

Short Panel



Long Panel



## COLORS

Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



TRUE WHITE



ALMOND



WICKER TAN



SANDTONE



DARK BROWN



BLACK\*

\* Price upcharge applies.

## OPTIONS

Visit [amarr.com](http://amarr.com) and access Amarr's Door Designer to view specific designs in various architectural styles.

### DECRA TRIM WINDOW INSERTS

Available with Clear or Obscure Glass.

#### SHORT PANEL

Short Panel DecraTrim inserts available for Heritage, Stratford, Lincoln, and Olympus collections.

CLEAR (C)



OBSCURE (O)



STOCKTON (20)



PRAIRIE (21)



CATHEDRAL (22)



CASCADE (23)



WATERFORD (25)



WAGON WHEEL (26)



SUNRAY (27)



FULL SUNRAY (28) Short Panel



FULL SUNRAY (28) Long Panel



Available for 15' 6", 15' 8", 16', 17', and 18' widths only.

FIVE PIECE SUNRAY (29)\* for 10' Short Panel Door



\*Available only in True White.

THAMES (30) Long Panel



ARCHED THAMES (31) Long Panel



MOONLITE (24) Long Panel



### DECRA GLASS™ WINDOWS

Tempered obscure glass with baked-on ceramic designs.

#### SHORT PANEL

Short Panel DecraGlass windows available for Heritage, Stratford, Lincoln, and Olympus collections.

VICTORIAN (54)



RIVIERA (55)\*




CHALET (56)



AMERICANA (57)



HEARTLAND (70)



MISSION (71)



PRAIRIE (72)†



JARDIN (75)



TRELLIS (76)



\*Clear glass with printed frost pattern. †Obscure glass with v-groove.

DecraTrim and DecraGlass design visibility varies due to lighting.

### STEEL COLORS

See specifications on page 21 for model availability. Actual paint colors may vary from samples shown.

Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used. Visit [amarr.com](http://amarr.com) for instructions on painting.



TRUE WHITE



ALMOND



WICKER TAN



SANDTONE



TERRATONE



DARK BROWN



HUNTER GREEN



GRAY



BLACK\*



GOLDEN OAK\*



WALNUT\*



MAHOGANY\*

\*Price upcharge applies.

STEEL SPECIFICATIONS

|  | CARRIAGE HOUSE DESIGN |                          |               |                 |                          |                          |                          |  | TRADITIONAL DESIGN |                          |                          |                |                          |                          |                          |   |
|--|-----------------------|--------------------------|---------------|-----------------|--------------------------|--------------------------|--------------------------|--|--------------------|--------------------------|--------------------------|----------------|--------------------------|--------------------------|--------------------------|---|
|  | CLASSICA 1000         | CLASSICA 2000            | CLASSICA 3000 | OAK SUMMIT 1000 | OAK SUMMIT 2000          | OAK SUMMIT 3000          | HILLCREST 3000           | DESIGNER'S CHOICE 500                    | HERITAGE 1000      | HERITAGE 2000            | HERITAGE 3000            | STRATFORD 1000 | STRATFORD 2000           | STRATFORD 3000           | LINCOLN 3000             | OLYMPUS 500                             |
| PANEL DESIGNS (Safe Guard)             |                       |                          |               |                 |                          |                          |                          |  |                    |                          |                          |                |                          |                          |                          |   |
| Short                                  |                       |                          |               |                 |                          |                          |                          |  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| Long                                   |                       |                          |               |                 |                          |                          |                          |  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| Flush                                  |                       |                          |               |                 |                          |                          |                          |  | •                  | •                        | •                        | •              | •                        | •                        | •                        |   |
| Ribbed                                 |                       |                          |               |                 |                          |                          |                          |  |                    |                          | •                        |                |                          | •                        | •                        |   |
| Carriage House                         | 7 Designs             | 7 Designs                | 7 Designs     | 4 Designs       | 4 Designs                | 4 Designs                | 4 Designs                | 4 Designs                                |                    |                          |                          |                |                          |                          |                          |   |
| CONSTRUCTION LAYERS                    | 1                     | 2                        | 3             | 1               | 2                        | 3                        | 3                        | 3  | 1                  | 2                        | 3                        | 1              | 2                        | 3                        | 3                        | 3                                       |
| Steel                                  | •                     |                          |               | •               |                          |                          |                          |  | •                  |                          |                          | •              |                          |                          |                          |   |
| Steel + Insulation                     |                       | •                        |               |                 | •                        |                          |                          |  |                    | •                        |                          |                | •                        |                          |                          |   |
| Steel + Insulation + Steel             |                       |                          | •             |                 |                          | •                        | •                        | •  |                    |                          | •                        |                |                          | •                        | •                        | •                                       |
| DOOR THICKNESS                         | 2" (5.1cm)            | 2" (5.1cm)               | 2" (5.1cm)    | 2" (5.1cm)      | 2" (5.1cm)               | 1 3/8" (3.5cm)           | 2" (5.1cm)               | 2" (5.1cm)                               | 2" (5.1cm)         | 2" (5.1cm)               | 2" (5.1cm)               | 2" (5.1cm)     | 2" (5.1cm)               | 1 3/8" (3.5cm)           | 2" (5.1cm)               | 2" (5.1cm)                              |
| INSULATION                             |                       | Polystyrene <sup>1</sup> | Polyurethane  |                 | Polystyrene <sup>1</sup> | Polystyrene <sup>1</sup> | Polystyrene <sup>1</sup> | Polyurethane                             |                    | Polystyrene <sup>1</sup> | Polystyrene <sup>1</sup> |                | Polystyrene <sup>1</sup> | Polystyrene <sup>1</sup> | Polystyrene <sup>1</sup> | Polyurethane                            |
| R-VALUE <sup>2</sup>                   |                       | 6.64                     | 13.35         |                 | 6.64                     | 6.48                     | 9.05                     | 19.40 <sup>A†</sup> /13.35 <sup>**</sup> |                    | 6.64                     | 9.05                     |                | 6.64                     | 6.48                     | 9.05                     | 19.40 <sup>A†</sup> /13.35 <sup>‡</sup> |
| STEEL THICKNESS                        |                       |                          |               |                 |                          |                          |                          |  |                    |                          |                          |                |                          |                          |                          |   |
| Gauge (ga)                             | 24 ga                 | 24 ga                    | 25/27 ga      | 25 ga           | 25 ga                    | 27/27 ga                 | 27/27 ga                 | 27/27 ga                                 | 24 ga              | 24 ga                    | 24/27 ga                 | 25 ga          | 25 ga                    | 27/27 ga                 | 27/27 ga                 | 27/27 ga                                |
| Gauge (mm)                             | 0.61mm                | 0.61mm                   | 0.53/0.42mm   | 0.53mm          | 0.53mm                   | 0.42/0.42mm              | 0.42/0.42mm              | 0.42/0.42mm                              | 0.61mm             | 0.61mm                   | 0.61/0.42mm              | 0.53mm         | 0.53mm                   | 0.42/0.42mm              | 0.42/0.42mm              | 0.42/0.42mm                             |
| WOODGRAIN EXTERIOR TEXTURE             | •                     | •                        | •             | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| END STILES                             |                       |                          |               |                 |                          |                          |                          |  |                    |                          |                          |                |                          |                          |                          |   |
| Galvanized                             | •                     | •                        |               | •               | •                        |                          |                          |  |                    |                          |                          | •              | •                        |                          |                          |   |
| Painted                                |                       |                          | •             |                 |                          | •                        | •                        | •  | •                  | •                        | •                        |                |                          | •                        | •                        | •                                       |
| THERMAL SEAL                           |                       |                          |               |                 |                          | •                        |                          | • <sup>*</sup>                           |                    |                          | •                        |                |                          | •                        |                          | • <sup>†</sup>                          |
| BOTTOM WEATHER SEAL                    | •                     | •                        | •             | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| Steel Retainer                         | •                     | •                        | •             | •               | •                        |                          |                          | • <sup>**</sup>                          | •                  | •                        | •                        | •              | •                        | •                        |                          | • <sup>‡</sup>                          |
| Aluminum Retainer                      |                       |                          |               |                 |                          | •                        |                          |  |                    |                          | •                        |                |                          | •                        |                          |   |
| Extruded Vinyl                         |                       |                          |               |                 |                          |                          | •                        | • <sup>*</sup>                           |                    |                          |                          |                |                          |                          | •                        | • <sup>†</sup>                          |
| DECORATIVE WINDOW OPTIONS              | •                     | •                        | •             | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| WINDOW GLASS OPTIONS                   |                       |                          |               |                 |                          |                          |                          |  |                    |                          |                          |                |                          |                          |                          |   |
| 3/32" (0.24cm) Single Strength         |                       |                          |               | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| 1/8" (0.32cm) Tempered Double Strength | •                     | •                        | •             |                 |                          |                          |                          |  |                    |                          |                          |                |                          |                          |                          |   |
| Insulated Glass                        |                       |                          | •             |                 |                          | •                        | •                        | •  |                    |                          | •                        |                |                          | •                        | •                        | •                                       |
| Obscure                                | •                     | •                        | •             | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| DECORATIVE HARDWARE OPTIONS            | •                     | •                        | •             | •               | •                        | •                        | •                        | •  |                    |                          |                          |                |                          |                          |                          |   |
| EXTERIOR COLOR OPTIONS                 |                       |                          |               |                 |                          |                          |                          |  |                    |                          |                          |                |                          |                          |                          |   |
| True White                             | •                     | •                        | •             | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| Almond                                 | •                     | •                        | •             | •               | •                        | •                        |                          | •  | •                  | •                        | •                        | •              | •                        |                          |                          | •                                       |
| Wicker Tan                             | •                     | •                        | •             | •               | •                        | •                        | •                        | •  |                    |                          |                          | •              | •                        | •                        | •                        | •                                       |
| Sandtone                               | •                     | •                        | •             | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| Terratone                              | •                     | •                        | •             | •               | •                        | •                        |                          |  |                    |                          |                          | •              | •                        | •                        |                          |   |
| Dark Brown                             | •                     | •                        | •             | •               | •                        | •                        | •                        | •  | •                  | •                        | •                        | •              | •                        | •                        | •                        | •                                       |
| Hunter Green                           |                       |                          |               |                 |                          | •                        |                          |  |                    |                          |                          |                |                          | •                        |                          |   |
| Gray                                   |                       |                          |               |                 |                          | •                        |                          |  |                    |                          |                          |                |                          | •                        |                          |   |
| Black                                  |                       |                          |               |                 |                          |                          |                          | •  |                    |                          |                          |                |                          |                          |                          | •                                       |
| Golden Oak <sup>3</sup>                | •                     | •                        | •             |                 |                          | •                        |                          |  |                    |                          | •                        |                |                          | •                        |                          |   |
| Walnut <sup>3</sup>                    | •                     | •                        | •             |                 |                          | •                        |                          |  |                    |                          | •                        |                |                          | •                        |                          |   |
| Mahogany <sup>3</sup>                  | •                     | •                        | •             |                 |                          | •                        |                          |  |                    |                          | •                        |                |                          | •                        |                          |   |
| WIND LOAD <sup>4</sup> AVAILABLE       | •                     | •                        | •             | •               | •                        | •                        | •                        | • <sup>*</sup>                           | •                  | •                        | •                        | •              | •                        | •                        | •                        | • <sup>†</sup>                          |
| WARRANTY                               |                       |                          |               |                 |                          |                          |                          |  |                    |                          |                          |                |                          |                          |                          |   |
| Paint Finish <sup>5</sup>              | Lifetime              | Lifetime                 | Lifetime      | 15 Years        | 25 Years                 | Lifetime                 | Lifetime                 | Lifetime                                 | Lifetime           | Lifetime                 | Lifetime                 | 15 Years       | 25 Years                 | Lifetime                 | Lifetime                 | Lifetime                                |
| Workmanship/Hardware <sup>5</sup>      | 3 Years               | 5 Years                  | Lifetime      | 1 Year          | 2 Years                  | 3 Years                  | 3 Years                  | Lifetime                                 | 3 Years            | 5 Years                  | Lifetime                 | 1 Year         | 2 Years                  | 3 Years                  | 3 Years                  | Lifetime                                |



<sup>1</sup> Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.

<sup>2</sup> Calculated door section R-value is in accordance with DASMA TDS-163.  
<sup>A</sup> Based on independent laboratory test results.  
<sup>\*</sup> True White Bead Board only.  
<sup>\*\*</sup> All other panels and colors except True White Bead Board  
<sup>†</sup> True White Short Panel only.  
<sup>‡</sup> All other panels and colors except True White Short Panel

<sup>3</sup> Classica Collection odd heights not available.

<sup>4</sup> It is your responsibility to make sure your garage door meets local building codes.

<sup>5</sup> For complete warranty details, visit [amarr.com](http://amarr.com) or contact your local Amarr dealer.



**Our Philosophy.** Since 1951, we have successfully raised the standards of quality, value, and dependability in our industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering products and services that raise those standards even higher.

Visit [amarr.com](http://amarr.com) for additional products, such as Amarr custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling sheet, and rolling steel doors.

Your Local Amarr Dealer:

165 Carriage Court  
Winston-Salem, NC 27105  
800.503.DOOR  
[www.amarr.com](http://www.amarr.com)

Amarr, Classica, Stratford, and Oak Summit as words and logos are registered trademarks belonging to Entrematic Group AB or other companies controlled by the same organization. All rights reserved.

Entrematic reserves the right to change specifications and designs without notice and without incurring obligations.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2014. All rights reserved.  
Printed in USA Form #6450514/60M/GVS

