

Window World®

WAYNE DALTON
MODEL 9100
CLASSIC STEEL GARAGE DOOR



Vertical Short panel, White finish, Stockton Long (8-Lite) windows, Decorative hardware

Engineered for the ultimate balance of beauty, efficiency, and value.

Model 9100 is crafted for high-performance and quiet operation. This door comes with foamed-in-place, polyurethane insulation which helps block street noise and TorqueMaster® Plus, our exclusive counterbalance system that encases the springs in a steel tube for added protection.

Our Classic Steel garage doors offer a range of stylish designs, so you don't have to compromise on beauty, durability, or thermal efficiency.



AMERICA'S EXTERIOR REMODELER™

Improving Homes. Changing Lives.®


WAYNE DALTON

MODEL 9100


CLASSIC STEEL GARAGE DOOR

1. Choose Your Style


Doors shown are 8'x7'. Other sizes may have different panel configurations. See Dealer for details.




Short Panel




Vertical Short Panel



Long Panel



Vertical Long Panel



Flush Panel

2. Choose Your Color

Paint Finishes



White



Almond



Sandstone



Gray



Brown



Black

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching.

3. Choose Your Windows



Arched Stockton Long



Cascade Long



Cascade Short



Clear Long



Clear Short



Prairie Long



Prairie Short



Sherwood Long



Sherwood Short



Stockbridge Long (3-Lite)



Stockbridge Long (4-Lite)



Stockton Long (4-Lite)



Stockton Long (6-Lite)



Stockton Long (8-Lite)



Stockton Long (8-Lite Arched)



Stockton Long (12-Lite)



Stockton Short



Williamsburg Long



Williamsburg Short



Wyndbridge Long



Williamsburg-Double Car



Arched Stockton Long 4 pc

Choice of single or double arch
is available for arched top double
car windows

WAYNE DALTON

MODEL 9100

CLASSIC STEEL GARAGE DOOR

Window Availability by Door Panel Style

SHORT & FLUSH PANEL

*Arched Stockton Long
 Cascade Short & Long
 Clear Short & Long
 Prairie Short & Long
 Sherwood Short & Long
 Stockbridge Long (3-Lite)
 Stockbridge Long (4-Lite)
 Stockton Long (4, 6, 8 & 12-Lite)
 Stockton Long Arch (8-Lite)
 Stockton Short (4-Lite)
 *Williamsburg Long (2 pc & 4 pc)
 *Williamsburg Short (4 pc & 8 pc)
 Wyndbridge Long (2 pc, 3 pc & 4 pc)

VERTICAL SHORT PANEL

*Arched Stockton Long
 Cascade Short & Long
 Clear Short & Long
 Prairie Short & Long
 Sherwood Short & Long
 Stockbridge Long (3-Lite)
 Stockbridge Long (4-Lite)
 Stockton Long (4, 6, 8 & 12-Lite)
 Stockton Long Arch (8-Lite)
 Stockton Short (4-Lite)
 Williamsburg Long (2 pc & 4 pc)
 Wyndbridge Long (2 pc, 3 pc & 4 pc)

LONG & VERTICAL LONG PANEL

*Arched Stockton Long
 Cascade Long
 Clear Long
 Prairie Long
 Sherwood Long
 Stockbridge Long (3-Lite)
 Stockbridge Long (4-Lite)
 Stockton Long (4, 6, 8 & 12-Lite)
 Stockton Long Arch (8-Lite)
 Williamsburg Long (2 pc & 4 pc)
 Wyndbridge Long (2 pc, 3 pc & 4 pc)

*Available in single and double arch.


Glass Options



Clear



Gray Tinted



Satin Etched Privacy†



Obscure†

† Insulated glass available.

4. Choose Your Decorative Hardware



Arrow



Barcelona



Fleur De Lis



Spear

See website for additional hardware options.

Door Features

Pinch-Resistant Panels

designed to push fingers out of harms way

3-layer construction


utilizes a ToughGard® backer

Foamed-In-Place Polyurethane

Insulation provides thermal efficiency with a U-factor* of 0.26 and an R-value** of 9

Integral Struts

add rigidity and strength for long life and smooth operation



High Cycle Spring Option

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring

TorqueMaster® Plus Counter Balance System

Contains springs safely inside a steel tube to prevent accidental release of tension that could cause injury and features anti-drop safety technology

Wind Load Options

Available with structural reinforcements for use in coastal or high wind region



Limited Lifetime Warranty

*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.



BEFORE



AFTER

Vertical Short panel, Sandstone finish, Stockbridge Long (4-Lite) windows, Decorative hardware

©2026 Window World International, LLC. (International). Window World®, the Window World logo, the Window World Circle 'W', and SolarZone® are registered trademarks, 'Improving Homes. Changing Lives.™' is a registered service mark, and AMERICA'S EXTERIOR REMODELER® is a service mark of International. Usage of all the referenced marks is limited to authorized licensees of International or franchisees of Window World, Inc., International's authorized licensee. This Window World® franchise location is independently owned and operated under license from Window World, Inc. Specifications subject to change without notice. Colors are reproduced by lithographic process and may vary slightly from colors of actual product. Printed in USA. WA-WWi-102 03/26 2.5M/SO